







### 1 CHOOSE A RAIL TYPE, COLOR AND PACK/KIT Check all that apply.

<h4>Premier Railing®</h4>  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"><input type="checkbox"/> WHITE</div> <div style="text-align: center;"><input type="checkbox"/> KONA®</div> </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"><input type="checkbox"/> BLACK</div> <div style="text-align: center;"><input type="checkbox"/> BROWN-STONE</div> </div> <div style="text-align: center; margin-top: 10px;"><input type="checkbox"/> SLATE GRAY</div>	<h4>RadianceRail®</h4>  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"><input type="checkbox"/> WHITE</div> <div style="text-align: center;"><input type="checkbox"/> KONA®</div> </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"><input type="checkbox"/> BLACK</div> <div style="text-align: center;"><input type="checkbox"/> BROWN-STONE</div> </div> <div style="text-align: center; margin-top: 10px;"><input type="checkbox"/> SLATE GRAY</div>	<input type="checkbox"/> Custom Rail Pack 6' ..... # _____ <input type="checkbox"/> Custom Rail Pack 8' ..... # _____ <input type="checkbox"/> Custom Rail Pack 10' (White & Black only) ..... # _____ <small>Custom Rail Packs are for Glass, Aluminum, or Cable Infills</small>  <input type="checkbox"/> Rail Pack 6' ..... # _____ <input type="checkbox"/> Rail Pack 8' ..... # _____ <input type="checkbox"/> Rail Pack 10' (White & Black only) ..... # _____  <input type="checkbox"/> Complete Kit 6' ..... # _____ <input type="checkbox"/> Complete Kit 8' ..... # _____  <input type="checkbox"/> <b>Top Rail (Required for Reserve)</b>  # ___/6' # ___/8' # ___/10' # ___/16'  <small>* Rail lengths should be cut down for center-of-post to center-of-post measurement</small>
<h4>Trademark Rail™</h4>  <div style="text-align: center;"><input type="checkbox"/> WHITE</div>	<h4>Reserve Rail™</h4>  <div style="text-align: center;"><input type="checkbox"/> WHITE</div>	

### 2 CHOOSE INFILL TYPE AND COLOR Check all that apply.

<h4>Composite</h4> <p>(18 Baluster Packs)..... # _____</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"><input type="checkbox"/> 1.25"x1.25" Composite</div> <div style="text-align: center;"><input type="checkbox"/> 1.73"x1.25" Reserve Composite White only</div> </div>  <div style="margin-top: 20px;"> <input type="checkbox"/> 29" Baluster Creates 36" rail height with less than 4" gap from deck surface to bottom rail. Also used for 36" stair railing  <input type="checkbox"/> 31" Baluster Creates 36" rail height with less than 2" gap from deck surface to bottom rail  <input type="checkbox"/> 35" Baluster Creates 42" rail height with less than 4" gap from deck surface to bottom rail. Also used for 42" stair railing. 29" Baluster can be used for stairs  <input type="checkbox"/> 37" Baluster 42" rail height with less than 2" gap from deck surface to bottom rail </div> <div style="margin-top: 20px;"> <h4>Color</h4> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"><input type="checkbox"/> WHITE</div> <div style="text-align: center;"><input type="checkbox"/> BLACK</div> <div style="text-align: center;"><input type="checkbox"/> KONA®</div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;"><input type="checkbox"/> BROWN-STONE</div> <div style="text-align: center;"><input type="checkbox"/> SLATE GRAY</div> </div> </div>	<h4>Aluminum</h4> <p>(20 Baluster Packs)..... # _____</p> <div style="text-align: center;"><input type="checkbox"/> .75"x.75" Aluminum Round and Square Black only</div>  <div style="margin-top: 20px;"> <input type="checkbox"/> <b>Round Balusters</b>  <input type="checkbox"/> <b>Square Balusters</b>   <input type="checkbox"/> 29" Baluster Creates 36" rail height with less than 4" gap from deck surface to bottom rail.  <input type="checkbox"/> 31" Baluster-Straight Creates 36" rail height with less than 2" gap from deck surface to bottom rail  <input type="checkbox"/> 31" Baluster-Stair  <input type="checkbox"/> 35" Baluster Creates 42" rail height with less than 4" gap from deck surface to bottom rail.  <input type="checkbox"/> 37" Baluster-Straight 42" rail height with less than 2" gap from deck surface to bottom rail  <input type="checkbox"/> 37" Baluster-Stair </div>	<h4>Glass</h4> <p>..... # _____</p> <div style="text-align: center;"><input type="checkbox"/> Glass Channel to fit 1/4" Tempered Glass White or Black glass only</div>  <div style="margin-top: 20px;"> <input type="checkbox"/> White Glass Channel Kit 6'  <input type="checkbox"/> Black Glass Channel Kit 6' </div>	<h4>Cable</h4> <p>..... # _____</p> <div style="text-align: center;"><input type="checkbox"/> CableRail by Feeney®</div>  <div style="margin-top: 20px;"> <input type="checkbox"/> Intermediate Baluster 36"  <input type="checkbox"/> Intermediate Baluster Stair 36"  <input type="checkbox"/> Intermediate Baluster 42"  <input type="checkbox"/> Intermediate Baluster Stair 42"  <input type="checkbox"/> Intermediate Baluster 36" 1 per 6' / 2 per 8' / 3 per 10'  <input type="checkbox"/> Cable Hardware Kit 36" Max span 60' / 9 rungs  <input type="checkbox"/> Cable Hardware Kit 42" Max span 60' / 11 rungs  <input type="checkbox"/> 100' Spool Stainless Steel Cable  <input type="checkbox"/> 500' Spool Stainless Steel Cable  <input type="checkbox"/> Cable Rail Cable Cutter  <input type="checkbox"/> Install Tools <small>(required for easy install)</small>  <input type="checkbox"/> CableRail Protector Sleeves <small>(pack of 20)</small>  <input type="checkbox"/> CableRail Clean &amp; Protect Kit </div>
--	--	---	--

**Color**



### 3 CHOOSE POST SLEEVES, CAPS AND SKIRTS

Post sleeves, caps and skirts will come in color of rail profile chosen, unless specified otherwise.

#### Post Sleeves

- 4"x4"x39" Post Sleeve..... # \_\_\_\_\_
- 4"x4"x96" Post Sleeve..... # \_\_\_\_\_
- 5"x5"x42" Post Sleeve..... # \_\_\_\_\_
- 5"x5"x144" Post Sleeve..... # \_\_\_\_\_
- 5.5"x5.5"x39" Post Sleeve..... # \_\_\_\_\_
- 5.5"x5.5"x54" Post Sleeve..... # \_\_\_\_\_
- 5.5"x5.5"x144" Post Sleeve... # \_\_\_\_\_
- 6"x6"x108" Reserve Sleeve # \_\_\_\_\_**

#### Post Caps

- 4"x4" Island Post Cap ..... # \_\_\_\_\_  
(widest dimension = 7.1")
- 4"x4" Original Post Cap ..... # \_\_\_\_\_  
(widest dimension = 7.1")
- 5"x5" Post Cap ..... # \_\_\_\_\_  
(widest dimension = 7.1")
- 5.5"x5.5" Pyramid Cap ..... # \_\_\_\_\_  
(widest dimension = 8.3")
- 5.5"x5.5" Island Cap..... # \_\_\_\_\_  
(widest dimension = 8.3")
- 6"x6" Reserve Post Cap ..... # \_\_\_\_\_**  
(widest dimension = 10.6")

#### Post Skirts


- 4"x4" Post Skirt..... # \_\_\_\_\_
- 5"x5" Post Skirt..... # \_\_\_\_\_
- 5.5"x5.5" Post Skirt..... # \_\_\_\_\_
- 6"x6" Reserve Post Skirt .... # \_\_\_\_\_**

### 4 CHOOSE LIGHTING & ACCESSORIES Check all that apply.

- Hardware Kit ..... # \_\_\_\_\_
- 150W PowerPack ..... # \_\_\_\_\_
- 5.5"x5.5" Lighted Island Cap ..... # \_\_\_\_\_
- 4"x4" LED Post Cap Light ..... # \_\_\_\_\_
- 5"x5" LED Post Cap Light ..... # \_\_\_\_\_
- 5.5"x5.5" LED Post Cap Light ..... # \_\_\_\_\_
- LED Under Rail Light ..... # \_\_\_\_\_
- LED Accent Light-White..... # \_\_\_\_\_
- LED Accent Light-Architectural Bronze..... # \_\_\_\_\_
- 4" Secure Mount Post ..... # \_\_\_\_\_
- 6" Secure Mount Post Adapter Kit..... # \_\_\_\_\_
- Deck Mounting Kit..... # \_\_\_\_\_

### 1 CHOOSE A COLOR & PACK/KIT Check all that apply.

#### RadianceRail<sup>®</sup> Express




- RadianceRail Express Rail Pack 6' (Actual Length - 91.75")..... # \_\_\_\_\_
- RadianceRail Express Rail Pack 8' (Actual Length - 92.75")..... # \_\_\_\_\_
- RadianceRail Express Rail Pack-Stair 8' (Actual Length - 92.75") ..... # \_\_\_\_\_

### 2 INFILL: COMPOSITE 18 Baluster Packs

#### Composite Infill




1.25"x1.25"  
Composite



- RadianceRail Express Composite Baluster 29.75" Square ..... # \_\_\_\_\_  
Creates 36" rail height
- RadianceRail Express Composite Baluster 35.75" Square ..... # \_\_\_\_\_  
Creates 42" rail height; used for stairs

### 3 CHOOSE POST SLEEVES, CAPS AN SKIRTS

Post sleeves, caps and skirts will come in color of rail profile chosen, unless specified otherwise.



#### Post Sleeves

- 4"x4"x39" Post Sleeve..... # \_\_\_\_\_
- 4"x4"x96" Post Sleeve..... # \_\_\_\_\_

#### Post Cap

- 4"x4" Island Post Cap ..... # \_\_\_\_\_
- 4"x4" Original Post Cap ..... # \_\_\_\_\_

#### Post Skirt


- 4"x4" Post Skirt..... # \_\_\_\_\_

### 4 CHOOSE LIGHTING & ACCESSORIES Check all that apply.

- Hardware Kit ..... # \_\_\_\_\_
- Hardware Kit Stair ..... # \_\_\_\_\_
- 150W PowerPack ..... # \_\_\_\_\_
- 4"x4" LED Post Cap Light ..... # \_\_\_\_\_
- LED Under Rail Light ..... # \_\_\_\_\_
- LED Accent Light-White..... # \_\_\_\_\_
- LED Accent Light-Architectural Bronze..... # \_\_\_\_\_
- 4" Secure Mount Post ..... # \_\_\_\_\_
- Deck Mounting Kit..... # \_\_\_\_\_

## 1 CHOOSE A RAIL PACK Check all that apply.

### Contemporary Rail



- Contemporary Rail Pack 6' ..... # \_\_\_\_\_
- Contemporary Rail Pack 8' ..... # \_\_\_\_\_
- Contemporary Rail Top Rail 16' ..... # \_\_\_\_\_  
(sold separately)

\* Rail lengths should be cut down for center-of-post to center-of-post measurement

## 2 CHOOSE INFILL TYPE & COLOR Check all that apply.

### Composite

(18 Baluster Packs) ..... # \_\_\_\_\_

- 1.25"x1.25" Composite



- 36"x8" Contemporary or Builder Rail Square Baluster  
18 per pack
- 42"x8" Contemporary or Builder Rail Square Baluster  
18 per pack



### Aluminum

(20 Baluster Packs) ..... # \_\_\_\_\_

- .75"x.75" Aluminum Round and Square  
Black only



- Round Balusters
- Square Balusters
- 31" Baluster-Straight  
Creates 36" rail height with less than 4" gap from deck surface to bottom rail with Contemporary Rail
- 31" Baluster-Stair
- 35" Baluster  
Creates 42" rail height with less than 4" gap from deck surface to bottom rail
- 37" Baluster-Straight  
42" rail height with less than 4" gap from deck surface to bottom rail
- 37" Baluster-Stair

### Glass

..... # \_\_\_\_\_

- Glass Channel to fit 1/4" Tempered Glass  
White or Black glass only



- White Glass Channel Kit 6'
- Black Glass Channel Kit 6'

### Cable

..... # \_\_\_\_\_

- CableRail by Feeney®



- Intermediate Baluster 36"
- Intermediate Baluster Stair 36"
- Intermediate Baluster 42"
- Intermediate Baluster Stair 42"
- Intermediate Baluster 36"  
1 per 6' / 2 per 8' / 3 per 10'
- Cable Hardware Kit 36"  
Max span 60' / 9 rungs
- Cable Hardware Kit 42"  
Max span 60' / 11 rungs
- 100' Spool Stainless Steel Cable
- 500' Spool Stainless Steel Cable

## 3 CHOOSE POST SLEEVES, CAPS AND SKIRTS

Post sleeves, caps and skirts will come in color of rail profile chosen, unless specified otherwise.



### Post Sleeves

- 5"x5"x42" Post Sleeve ..... # \_\_\_\_\_
- 5"x5"x144" Post Sleeve ..... # \_\_\_\_\_

### Post Skirts

- 5"x5" Post Skirt ..... # \_\_\_\_\_  
(Actual outside dimension = 6.25")

## 4 CHOOSE LIGHTING & ACCESSORIES Check all that apply.

- Hardware Kit ..... # \_\_\_\_\_
- LED Under Rail Light ..... # \_\_\_\_\_
- LED Accent Light-White ..... # \_\_\_\_\_

- LED Accent Light-Architectural Bronze ..... # \_\_\_\_\_
- 4" Secure Mount Post ..... # \_\_\_\_\_
- Deck Mounting Kit ..... # \_\_\_\_\_

## 1 CHOOSE A RAIL PACK Check all that apply.

### Builder Rail


 Builder Rail Board 6' (packaged as 2-6' boards)..... # \_\_\_\_\_

 Builder Rail Board 8' (packaged as 2-8' boards)..... # \_\_\_\_\_

## 2 CHOOSE INFILL TYPE & COLOR Check all that apply.

### Metal

(20 Baluster Packs with attachment gaskets)..... # \_\_\_\_\_

.75" Round  
Balusters



- 36" Baluster Pack
- 36" Baluster Pack-Stair
- 42" Baluster Pack
- 42" Baluster Pack-Stair

### Glass

..... # \_\_\_\_\_

Glass Channel  
to fit 1/4" Tempered Glass  
**White or Black glass only**



- White Glass Channel Kit 6'
- Black Glass Channel Kit 6'

## 3 CHOOSE POST SLEEVES, CAPS AND SKIRTS

Post sleeves and skirts will come in color  
of rail profile chosen unless specified otherwise.



### Post Sleeves

- 5"x5"x42" Rail Post..... # \_\_\_\_\_
- 5"x5"x144" Rail Post..... # \_\_\_\_\_

### Post Skirts

- 5"x5" Post Skirt..... # \_\_\_\_\_

### Post Foot Block

- Foot Block..... # \_\_\_\_\_

## 4 CHOOSE LIGHTING & ACCESSORIES Check all that apply.

- Hardware Kit.....# \_\_\_\_\_
- LED Under Rail Light.....# \_\_\_\_\_
- LED Accent Light-Architectural Bronze.....# \_\_\_\_\_

- 4" Secure Mount Post.....# \_\_\_\_\_
- Deck Mounting Kit.....# \_\_\_\_\_
- End Coating - 8oz. Bottle.....# \_\_\_\_\_
- TOPLoc® Stainless Steel Fasteners.....# \_\_\_\_\_  
(3 - 7 per section)